

APPLICANT FACSIMILE OF FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

ATTY DOCKET NO.

SERIAL NO.

RPI-022

08/270,152

LIST OF PUBLICATIONS CITED BY APPLICANT
(Use several sheets if necessary)

APPLICANT

Vassiliki A. Boussiotis and Lee M. Nadler

FILING DATE

July 1, 1994

GROUP

RECEIVED
DEC 30 1994
GROUP 1800

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|---------------------|-----------------|------|------|-------|----------|-------------------------------|
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|-----------------|-------|---------|-------|----------|-----------------------|
| AA WO 90/05541 | 05/90 | PCT | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | |
|----|--|
| AB | Nakurai, T., <u>et al.</u> , (1994) "Interleukin 2 Receptor γ Chain Expression on Resting and Activated Lymphoid Cells", <i>J. Exp. Med.</i> , Vol. <u>180</u> , pp. 241-251; |
| AC | Ihle, J.N., <u>et al.</u> , (1994) "Signaling by the cytokine receptor superfamily: JAK's and STAT's", <i>TIBS</i> , Vol. <u>19</u> , pp. 222-227; |
| AD | DiSanto, J.P., <u>et al.</u> , (1994) "Interleukin-2 (IL-2) receptor γ chain mutations in X-linked severe combined immunodeficiency disease result in the loss of high-affinity IL-2 receptor binding", <i>Eur. J. Immunol.</i> , Vol. <u>24</u> , pp. 475-479; |
| AE | Voss, S.D., <u>et al.</u> , (1994) "Severe Combined Immunodeficiency, Interleukin-2 (IL-2), and the IL-2 Receptor: Experiments of Nature Continue to Point the Way", <i>Blood</i> , Vol. <u>83</u> , No. 3, pp. 626-635; |
| AF | Nelson, B.H., <u>et al.</u> , (1994) "Cytoplasmic domains of the Interleukin-2 receptor β and γ chains mediate the signal for T-cell proliferation", <i>Nature</i> , Vol. <u>369</u> , pp. 333-336; |
| AG | Nakamura, Y., <u>et al.</u> , (1994) "Heterodimerization of the IL-2 receptor β - and γ -chain cytoplasmic domains is required for signaling", <i>Nature</i> , Vol. <u>369</u> , pp. 330-333; |
| AH | Cao, X., <u>et al.</u> , (1993) "Characterization of cDNAs encoding the murine interleukin 2 receptor (IL-2R) γ chain: Chromosomal mapping and tissue specificity of IL-2R γ chain expression", <i>Proceedings of the National Academy of Sciences</i> , Vol. <u>90</u> , pp. 8464-8468; |
| AI | Shahinian, A., <u>et al.</u> , (1993) "Differential T Cell Costimulatory Requirements in CD28-Deficient Mice", <i>Science</i> , Vol. <u>261</u> , pp. 609-612; |

Examiner

Date Considered

PAUL P. GAMBRE

3/16/96

*EXAMINER:

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


COPY

| | | | |
|--|--|---|---------------------------------|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV. 7-89 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY DOCKET NO. RPI-022 | SERIAL NO. 08/270,152 |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | APPLICANT Vassiliki A. Boussiotis and Lee M. Nadler | |
| | | FILING DATE July 1, 1994 | GROUP |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | |
|----|--|
| BA | Puck, J.M., <u>et al.</u> , (1993) "The interleukin-2 receptor γ chain maps to Xq13.1 and is mutated in X-linked severe combined immunodeficiency, SCIDX1", <i>Human Molecular Genetics</i> , Vol. 2, No. 8, pp. 1099-1104; |
| BB | Noguchi, M., <u>et al.</u> , (1993) "Interleukin-2 Receptor γ Chain Mutation Results in X-Linked Severe Combined Immunodeficiency in Humans", <i>Cell</i> , Vol. 73, pp. 147-157; |
| BC | Boussiotis, V.A., <u>et al.</u> , (1993) "B7 But Not Intercellular Adhesion Molecule-1 Costimulation Prevents the Induction of Human Alloantigen-specific Tolerance", <i>J. Exp. Med.</i> , Vol. 178, pp. 1753-1763; |
| BD | Tan, P., <u>et al.</u> , (1993) "Induction of Alloantigen-specific Hyporesponsiveness in Human T Lymphocytes by Blocking Interaction of CD28 with Its Natural Ligand B7/BB1", <i>J. Exp. Med.</i> , Vol. 177, pp. 165-173; |
| BE | Gimmi, C.D., <u>et al.</u> , (1993) "Human T-cell clonal anergy is induced by antigen presentation in the absence of B7 costimulation", <i>Proceedings of the National Academy of Sciences</i> , Vol. 90, pp. 6586-6590; |
| BF | Harpur, A.G., <u>et al.</u> , (1992) "JAK2, a third member of the JAK family of protein tyrosine kinases", <i>Oncogene</i> , Vol. 7, pp. 1347-1353; |
| BG | Harding, F.A., <u>et al.</u> , (1992) "CD28-mediated signaling co-stimulates murine T cells and prevents induction of anergy in T-cell clones", <i>Nature</i> , Vol. 356, pp. 607-609; |
| BH | Beverly, B., <u>et al.</u> , (1992) "Reversal of <i>in vitro</i> T cell clonal anergy by IL-2 stimulation", <i>International Immunology</i> , Vol. 4, No. 6, pp. 661-671; |
| BI | Schorle, H., <u>et al.</u> , (1991) "Development and function of T cells in mice rendered interleukin-2 deficient by gene targeting", <i>Nature</i> , Vol. 352, pp. 621-624; |
| BJ | Kühn, R., <u>et al.</u> , (1991) "Generation and Analysis of Interleukin-4 Deficient Mice", <i>Science</i> , Vol. 254, pp. 707-710; |
| BK | Wilks, A.F., <u>et al.</u> , (1991) "Two Novel Protein-Tyrosine Kinases, Each with a Second Phosphotransferase-Related Catalytic Domain, Define a New Class of Protein Kinase", <i>Molecular and Cellular Biology</i> , Vol. 11, No. 4, pp. 2057-2065; |

| | |
|---|-----------------|
| Examiner | Date Considered |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

APPLICANT, FACSIMILE OF FORM PTO-1449
REV. 7-80U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

ATTY DOCKET NO.

SERIAL NO.

RPI-022

08/270,152

APPLICANT

Vassiliki A. Boussiotis and Lee M. Nadler

FILING DATE

GROUP

July 1, 1994

LIST OF PUBLICATIONS CITED BY APPLICANT
(Use several sheets if necessary)

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | |
|--|---|
| CA | June, C.H., (1991) "Signal transduction in T cells", <i>Current opinion in Immunology</i> , Vol. 3, pp. 287-293; |
| CB | Firmbach-Kraft, I., <u>et al.</u> , (1990) " <i>tyk2</i> , prototype of a novel class of non-receptor tyrosine kinase genes", <i>Oncogene</i> , Vol. 5, pp. 1329-1336; |
| CC | Ledbetter, J.A., <u>et al.</u> , (1990) "CD28 Ligation in T-Cell Activation: Evidence for Two Signal Transduction Pathways", <i>Blood</i> , Vol. 75, No. 7, pp. 1531-1539; |
| CD | Schwartz, R.H., <u>et al.</u> , (1990) "A Cell Culture Model for T Lymphocyte Clonal Anergy", <i>Science</i> , Vol. 248, pp. 1349-1356; |
| CE | June, C.H., <u>et al.</u> , (1990) "Role of the CD28 receptor in T-cell activation", <i>Immunology Today</i> , Vol. 11, No. 6, pp. 211-216; |
| CF | June, C.H., <u>et al.</u> , (1989) "Evidence for the involvement of three distinct signals in the induction of IL-2 gene expression in human T lymphocytes", <i>The Journal of Immunology</i> , Vol. 143, No. 1, pp. 153-161; |
| CG | Essery, G., <u>et al.</u> , (1988) "Interleukin-2 can prevent and reverse antigen-induced unresponsiveness in cloned human T lymphocytes", <i>Immunology</i> , Vol. 64, pp. 413-417; |
| | |
| | |
| | |
| | |
| | |
| | |
| Examiner | Date Considered |
| <p>*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p> | |

COPY

APPLICANT FACSIMILE OF FORM PTO-1449
REV 7-80U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

ATTY DOCKET NO.

SERIAL NO.

RPI-022

08/270,152

LIST OF PUBLICATIONS CITED BY APPLICANT
(Use several sheets if necessary)

APPLICANT

Vassiliki A. Boussiotis and Lee M. Nadler

FILING DATE

July 1, 1994

GROUP

1644

U.S. PATENT DOCUMENTS

| EXAMINER P. D. NADLER | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|--------------------------|-----------------|------|------|-------|----------|-------------------------------|
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|----|-----------------|-------------|---------|-------|----------|-----------------------|
| PG | AA | WO 90/05541 | 05/90 | PCT | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|----|----|--|
| PG | AB | Nakarai, T., <u>et al.</u> , (1994) "Interleukin 2 Receptor γ Chain Expression on Resting and Activated Lymphoid Cells", <i>J. Exp. Med.</i> , Vol. <u>180</u> , pp. 241-251; |
| | AC | Ihle, J.N., <u>et al.</u> , (1994) "Signaling by the cytokine receptor superfamily: JAK's and STAT's", <i>TIBS</i> , Vol. <u>19</u> , pp. 222-227; |
| | AD | DiSanto, J.P., <u>et al.</u> , (1994) "Interleukin-2 (IL-2) receptor γ chain mutations in X-linked severe combined immunodeficiency disease result in the loss of high-affinity IL-2 receptor binding", <i>Eur. J. Immunol.</i> , Vol. <u>24</u> , pp. 475-479; |
| | AE | Voss, S.D., <u>et al.</u> , (1994) "Severe Combined Immunodeficiency, Interleukin-2 (IL-2), and the IL-2 Receptor: Experiments of Nature Continue to Point the Way", <i>Blood</i> , Vol. <u>83</u> , No. 3, pp. 626-635; |
| | AF | Nelson, B.H., <u>et al.</u> , (1994) "Cytoplasmic domains of the Interleukin-2 receptor β and γ chains mediate the signal for T-cell proliferation", <i>Nature</i> , Vol. <u>369</u> , pp. 333-336; |
| | AG | Nakamura, Y., <u>et al.</u> , (1994) "Heterodimerization of the IL-2 receptor β - and γ -chain cytoplasmic domains is required for signaling", <i>Nature</i> , Vol. <u>369</u> , pp. 330-333; |
| | AH | Cao, X., <u>et al.</u> , (1993) "Characterization of cDNAs encoding the murine interleukin 2 receptor (IL-2R) γ chain: Chromosomal mapping and tissue specificity of IL-2R γ chain expression", <i>Proceedings of the National Academy of Sciences</i> , Vol. <u>90</u> , pp. 8464-8468; |
| PG | AI | Shahinian, A., <u>et al.</u> , (1993) "Differential T Cell Costimulatory Requirements in CD28-Deficient Mice", <i>Science</i> , Vol. <u>261</u> , pp. 609-612; |

Examiner


Date Considered

PHILIP GAMMEL 3/16/96

*EXAMINER:

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|--|--|---|---------------------------------|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-80 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY DOCKET NO. RPI-022 | SERIAL NO. 08/270,152 |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | APPLICANT Vassiliki A. Boussiotis and Lee M. Nadler | |
| | | FILING DATE July 1, 1994 | GROUP 1644 |



OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|----|----|--|
| Me | BA | Puck, J.M., et al., (1993) "The interleukin-2 receptor γ chain maps to Xq13.1 and is mutated in X-linked severe combined immunodeficiency, SCIDX1", <i>Human Molecular Genetics</i> , Vol. 2, No. 8, pp. 1099-1104; |
| | BB | Noguchi, M., et al., (1993) "Interleukin-2 Receptor γ Chain Mutation Results in X-Linked Severe Combined Immunodeficiency in Humans", <i>Cell</i> , Vol. 73, pp. 147-157; |
| | BC | Boussiotis, V.A., et al., (1993) "B7 But Not Intercellular Adhesion Molecule-1 Costimulation Prevents the Induction of Human Alloantigen-specific Tolerance", <i>J. Exp. Med.</i> , Vol. 178, pp. 1753-1763; |
| | BD | Tan, P., et al., (1993) "Induction of Alloantigen-specific Hyporesponsiveness in Human T Lymphocytes by Blocking Interaction of CD28 with Its Natural Ligand B7/BB1", <i>J. Exp. Med.</i> , Vol. 177, pp. 165-173; |
| | BE | Gimmi, C.D., et al., (1993) "Human T-cell clonal anergy is induced by antigen presentation in the absence of B7 costimulation", <i>Proceedings of the National Academy of Sciences</i> , Vol. 90, pp. 6586-6590; |
| | BF | Harpur, A.G., et al., (1992) "JAK2, a third member of the JAK family of protein tyrosine kinases", <i>Oncogene</i> , Vol. 7, pp. 1347-1353; |
| | BG | Harding, F.A., et al., (1992) "CD28-mediated signaling co-stimulates murine T cells and prevents induction of anergy in T-cell clones", <i>Nature</i> , Vol. 356, pp. 607-609; |
| | BH | Beverly, B., et al., (1992) "Reversal of <i>in vitro</i> T cell clonal anergy by IL-2 stimulation", <i>International Immunology</i> , Vol. 4, No. 6, pp. 661-671; |
| | BI | Schorle, H., et al., (1991) "Development and function of T cells in mice rendered interleukin-2 deficient by gene targeting", <i>Nature</i> , Vol. 352, pp. 621-624; |
| | BJ | Kühn, R., et al., (1991) "Generation and Analysis of Interleukin-4 Deficient Mice", <i>Science</i> , Vol. 254, pp. 707-710; |
| Me | BK | Wilks, A.F., et al., (1991) "Two Novel Protein-Tyrosine Kinases, Each with a Second Phosphotransferase-Related Catalytic Domain, Define a New Class of Protein Kinase", <i>Molecular and Cellular Biology</i> , Vol. 11, No. 4, pp. 2057-2065; |

| | |
|---|-----------------------------------|
| Examiner PHILLIP GAMBER | Date Considered 3/16/96 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | | |
|--|--|---|---------------------------------|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-80 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY DOCKET NO. RPI-022 | SERIAL NO. 08/270,152 |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | APPLICANT Vassiliki A. Boussiotis and Lee M. Nadler | |
| | | FILING DATE July 1, 1994 | GROUP 1644 |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|---|
| | CA | June, C.H., (1991) "Signal transduction in T cells", <i>Current opinion in Immunology</i> , Vol. <u>3</u> , pp. 287-293; |
| | CB | Firmbach-Kraft, I., <u>et al.</u> , (1990) " <i>tyk2</i> , prototype of a novel class of non-receptor tyrosine kinase genes", <i>Oncogene</i> , Vol. <u>5</u> , pp. 1329-1336; |
| | CC | Ledbetter, J.A., <u>et al.</u> , (1990) "CD28 Ligation in T-Cell Activation: Evidence for Two Signal Transduction Pathways", <i>Blood</i> , Vol. <u>75</u> , No. 7, pp. 1531-1539; |
| | CD | Schwartz, R.H., <u>et al.</u> , (1990) "A Cell Culture Model for T Lymphocyte Clonal Anergy", <i>Science</i> , Vol. <u>248</u> , pp. 1349-1356; |
| | CE | June, C.H., <u>et al.</u> , (1990) "Role of the CD28 receptor in T-cell activation", <i>Immunology Today</i> , Vol. <u>11</u> , No. 6, pp. 211-216; |
| | CF | June, C.H., <u>et al.</u> , (1989) "Evidence for the involvement of three distinct signals in the induction of IL-2 gene expression in human T lymphocytes", <i>The Journal of Immunology</i> , Vol. <u>143</u> , No. 1, pp. 153-161; |
| | CG | Essery, G., <u>et al.</u> , (1988) "Interleukin-2 can prevent and reverse antigen-induced unresponsiveness in cloned human T lymphocytes", <i>Immunology</i> , Vol. <u>64</u> , pp. 413-417; |
| | | |
| | | |
| | | |
| | | |
| Examiner | | Date Considered 3/16/96 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |